


PREMIUM GRADE PATCHCORD / PIGTAIL



01

Patchcord

Go4Fiber provides the broadest choice of patchcords and pigtails to the industry including LC, SC, FC, ST, E2000 with Ultra-polished (UPC), Angle-Polished (APC) or other polish requirement. With our state of art testing equipment, refined polishing machine, advanced polishing procedure and a group of experienced technicians, we make reliable and top quality patchcords and pigtails at an attractive price. Go4Fiber keeps inventory for most types of patchcords and pigtails for immediate delivery.



Every patchcord and pigtail supplied by Go4Fiber is guaranteed to be well polished and meets or exceeds the TIA/EIA-568-C.3, ISO/IEC 11801, TIA/EIA-604-2A (FOCIS-2), TIA/EIA-604-3 (FOCIS-3) and TIA/EIA-604-10 (FOCIS-10) standard and the GR-326-CORE insertion loss test standard.

Go4Fiber patchcords and pigtails are assembled with high-grade connectors. Apart from simplex and duplex patchcords, MTP/MPO and multi-fiber patchcords are also available. For special requests on test reports or other specification, please contact us.

Specifications:

Physical Property

Fiber Type	Singlemode: 9/125um (OS1, OS2, G.652D, G.657A1/A2) Multimode: 62.5/125um (OM1), 50/125um (OM2, OM3, OM4, OM5)
1.8/2.0/3.0mm Cable Jacket	Standard: Low Smoke Zero Halogen (LSZH), Riser Rated (OFNR), Optional: Plenum Rated (OFNP)
Jacket Color	Singlemode: Yellow Multimode: Orange, Aqua, Erika Violet, Lime Green 900um fiber: White
Fiber Jacket Structure	Simplex, Zipcord Duplex, Round Duplex, Tight buffered
Jacket Outer Diameter	900um(Simplex), 1.8mm (Duplex), 2.0mm (Simplex, Duplex), 3.0mm (Simplex, Duplex)
Connector Type	LC, SC, FC, ST, E2000, LC/APC, SC/APC, FC/APC, E2000/APC, MTRJ, MU, FDDI, SMA905
Length Tolerance	<1m: +10cm / -0cm, ≥1m: +10% / -0%

Optical Property

Insertion Loss	Singlemode: 0.15dB (Typical), 0.35dB (Maximum) Multimode: 0.15dB (Typical), 0.35dB (Maximum)
Return Loss	Singlemode: APC: 65dB (Minimum), UPC: 50dB (Minimum) Multimode: N/A

Specification on one connector only.



Go4Fiber Ltd.

Tel: +852 2174-1338

Email: sales_group@go4fiber.com


Fax: +852 2904-0034

Web: www.go4fiber.com

PREMIUM GRADE PATCHCORD / PIGTAIL

Standard Patchcord and Pigtail Ordering Information:

Singlemode Fiber



Assembly Information

- S1: Singlemode G.652D
- S2: Singlemode G. 652D (LSZH)
- S3: Singlemode G.657A1
- S4: Singlemode G.657A1 (LSZH)
- S6: Singlemode G.657A2
- S8: Singlemode G.657A2 (LSZH)

End #2 Connector Type

- 00: Pigtail
- Same code as End #1 (Patchcord)

Patchcord Length

- 0005: 0.5 meter
- 0010: 1.0 meter
- 0015: 1.5 meter
-
- 0150: 15.0 meter
-
- 9990: 999.0 meter

Assembled With

- GF: Go4Fiber Connector
- OT: Others, please specify

End #1 Connector Type

Singlemode

- F2: FC/UPC
- C2: SC/UPC
- T2: ST/UPC
- L2: LC/UPC
- L6: LC/APC
- F6: FC/APC
- C6: SC/APC
- M2: MTRJ (w/o pin)
- M3: MTRJ (w/ pin)
- U2: MU/UPC
- U6: MU/APC
- E2: E2000/UPC
- E6: E2000/APC

Cable Type

Singlemode 9/125µm cable

- 03: 900µm fiber
- 01: Jacket simplex, 3.0mm
- 02: Jacket zipcord duplex, 3.0mmx2
- 09: Jacket simplex, 2.0mm
- 16: Jacket zipcord duplex, 2.0mmx2
- 10: Jacket zipcord duplex, 1.8mmx2
- 70: Jacket round duplex, 2.0mm

Ordering Example


S1-C2T2-09-0100-GF: SC/UPC to ST/UPC Patchcord, 9/125um singlemode, simplex, 2.0mm cable, 10 meter
 S1-F2F6-09-0015-GF: FC/UPC to FC/APC Patchcord, 9/125um singlemode, simplex, 2.0mm cable, 1.5 meter
 *For the patchcord connectors, please kindly follow the alphabetical rule as above examples.

MTP/MPO patchcord and multi-fiber patchcord are available, please contact us.



PREMIUM GRADE PATCHCORD / PIGTAIL

Multimode Fiber



03

Patchcord

Assembly Information M1: Multimode M2: Multimode (LSZH)	End #2 Connector Type 00: Pigtail - Same code as End #1 (Patchcord)	Patchcord Length 0005: 0.5 meter 0010: 1.0 meter 0015: 1.5 meter 0150: 15.0 meter 9990: 999.0 meter	Assembled With GF: Go4Fiber Connector OT: Others, please specify
--	--	---	---

End #1 Connector Type Multimode F8: FC C8: SC T8: ST L8: LC D1: FDDI M8: MTRJ (w/o pin) M9: MTRJ (w/ pin) A5: SMA905 E8: E2000	Cable Type <table border="0"> <tr> <td data-bbox="550 784 917 1041"> OM1 MM 62.5/125µm cable 06: 900µm fiber 04: Jacket simplex, 3.0mm 05: Jacket zipcord duplex, 3.0mmx2 18: Jacket simplex, 2.0mm 19: Jacket zipcord duplex, 2.0mmx2 13: Jacket zipcord duplex, 1.8mmx2 71: Jacket round duplex, 2.0mm </td> <td data-bbox="949 784 1548 1220"> OM4 MM 50/125µm cable 35: 900µm fiber 33: Jacket simplex, 3.0mm (Aqua) 34: Jacket zipcord duplex, 3.0mmx2 (Aqua) 36: Jacket simplex, 2.0mm (Aqua) 37: Jacket zipcord duplex, 2.0mmx2 (Aqua) 38: Jacket zipcord duplex, 1.8mmx2 (Aqua) 75: Jacket round duplex, 2.0mm (Aqua) 51: Jacket simplex, 3.0mm (Erika Violet) 52: Jacket zipcord duplex, 3.0mmx2 (Erika Violet) 53: Jacket simplex, 2.0mm (Erika Violet) 54: Jacket zipcord duplex, 2.0mmx2 (Erika Violet) 55: Jacket zipcord duplex, 1.8mmx2 (Erika Violet) 76: Jacket round duplex, 2.0mm (Erika Violet) </td> </tr> <tr> <td data-bbox="550 1064 917 1310"> OM2 MM 50/125µm cable 20: 900µm fiber 07: Jacket simplex, 3.0mm 08: Jacket zipcord duplex, 3.0mmx2 21: Jacket simplex, 2.0mm 22: Jacket zipcord duplex, 2.0mmx2 14: Jacket zipcord duplex, 1.8mmx2 72: Jacket round duplex, 2.0mm </td> <td data-bbox="949 1243 1548 1489"> OM5 MM 50/125µm cable 60: 900µm fiber 61: Jacket simplex, 3.0mm (Lime Green) 62: Jacket zipcord duplex, 3.0mmx2 (Lime Green) 63: Jacket simplex, 2.0mm (Lime Green) 64: Jacket zipcord duplex, 2.0mmx2 (Lime Green) 65: Jacket zipcord duplex, 1.8mmx2 (Lime Green) 66: Jacket round duplex, 2.0mm (Lime Green) </td> </tr> <tr> <td data-bbox="550 1332 917 1758"> OM3 MM 50/125µm cable 25: 900µm fiber 41: Jacket simplex, 3.0mm (Aqua) 42: Jacket zipcord duplex, 3.0mmx2 (Aqua) 43: Jacket simplex, 2.0mm (Aqua) 44: Jacket zipcord duplex, 2.0mm x 2 (Aqua) 45: Jacket zipcord duplex, 1.8mmx2 (Aqua) 73: Jacket round duplex, 2.0mm (Aqua) 23: Jacket simplex, 3.0mm (Orange) 24: Jacket zipcord duplex, 3.0mmx2 (Orange) 31: Jacket simplex, 2.0mm (Orange) 32: Jacket zipcord duplex, 2.0mm x 2 (Orange) 26: Jacket zipcord duplex, 1.8mmx2 (Orange) 74: Jacket round duplex, 2.0mm (Orange) </td> <td></td> </tr> </table>		OM1 MM 62.5/125µm cable 06: 900µm fiber 04: Jacket simplex, 3.0mm 05: Jacket zipcord duplex, 3.0mmx2 18: Jacket simplex, 2.0mm 19: Jacket zipcord duplex, 2.0mmx2 13: Jacket zipcord duplex, 1.8mmx2 71: Jacket round duplex, 2.0mm	OM4 MM 50/125µm cable 35: 900µm fiber 33: Jacket simplex, 3.0mm (Aqua) 34: Jacket zipcord duplex, 3.0mmx2 (Aqua) 36: Jacket simplex, 2.0mm (Aqua) 37: Jacket zipcord duplex, 2.0mmx2 (Aqua) 38: Jacket zipcord duplex, 1.8mmx2 (Aqua) 75: Jacket round duplex, 2.0mm (Aqua) 51: Jacket simplex, 3.0mm (Erika Violet) 52: Jacket zipcord duplex, 3.0mmx2 (Erika Violet) 53: Jacket simplex, 2.0mm (Erika Violet) 54: Jacket zipcord duplex, 2.0mmx2 (Erika Violet) 55: Jacket zipcord duplex, 1.8mmx2 (Erika Violet) 76: Jacket round duplex, 2.0mm (Erika Violet)	OM2 MM 50/125µm cable 20: 900µm fiber 07: Jacket simplex, 3.0mm 08: Jacket zipcord duplex, 3.0mmx2 21: Jacket simplex, 2.0mm 22: Jacket zipcord duplex, 2.0mmx2 14: Jacket zipcord duplex, 1.8mmx2 72: Jacket round duplex, 2.0mm	OM5 MM 50/125µm cable 60: 900µm fiber 61: Jacket simplex, 3.0mm (Lime Green) 62: Jacket zipcord duplex, 3.0mmx2 (Lime Green) 63: Jacket simplex, 2.0mm (Lime Green) 64: Jacket zipcord duplex, 2.0mmx2 (Lime Green) 65: Jacket zipcord duplex, 1.8mmx2 (Lime Green) 66: Jacket round duplex, 2.0mm (Lime Green)	OM3 MM 50/125µm cable 25: 900µm fiber 41: Jacket simplex, 3.0mm (Aqua) 42: Jacket zipcord duplex, 3.0mmx2 (Aqua) 43: Jacket simplex, 2.0mm (Aqua) 44: Jacket zipcord duplex, 2.0mm x 2 (Aqua) 45: Jacket zipcord duplex, 1.8mmx2 (Aqua) 73: Jacket round duplex, 2.0mm (Aqua) 23: Jacket simplex, 3.0mm (Orange) 24: Jacket zipcord duplex, 3.0mmx2 (Orange) 31: Jacket simplex, 2.0mm (Orange) 32: Jacket zipcord duplex, 2.0mm x 2 (Orange) 26: Jacket zipcord duplex, 1.8mmx2 (Orange) 74: Jacket round duplex, 2.0mm (Orange)	
OM1 MM 62.5/125µm cable 06: 900µm fiber 04: Jacket simplex, 3.0mm 05: Jacket zipcord duplex, 3.0mmx2 18: Jacket simplex, 2.0mm 19: Jacket zipcord duplex, 2.0mmx2 13: Jacket zipcord duplex, 1.8mmx2 71: Jacket round duplex, 2.0mm	OM4 MM 50/125µm cable 35: 900µm fiber 33: Jacket simplex, 3.0mm (Aqua) 34: Jacket zipcord duplex, 3.0mmx2 (Aqua) 36: Jacket simplex, 2.0mm (Aqua) 37: Jacket zipcord duplex, 2.0mmx2 (Aqua) 38: Jacket zipcord duplex, 1.8mmx2 (Aqua) 75: Jacket round duplex, 2.0mm (Aqua) 51: Jacket simplex, 3.0mm (Erika Violet) 52: Jacket zipcord duplex, 3.0mmx2 (Erika Violet) 53: Jacket simplex, 2.0mm (Erika Violet) 54: Jacket zipcord duplex, 2.0mmx2 (Erika Violet) 55: Jacket zipcord duplex, 1.8mmx2 (Erika Violet) 76: Jacket round duplex, 2.0mm (Erika Violet)							
OM2 MM 50/125µm cable 20: 900µm fiber 07: Jacket simplex, 3.0mm 08: Jacket zipcord duplex, 3.0mmx2 21: Jacket simplex, 2.0mm 22: Jacket zipcord duplex, 2.0mmx2 14: Jacket zipcord duplex, 1.8mmx2 72: Jacket round duplex, 2.0mm	OM5 MM 50/125µm cable 60: 900µm fiber 61: Jacket simplex, 3.0mm (Lime Green) 62: Jacket zipcord duplex, 3.0mmx2 (Lime Green) 63: Jacket simplex, 2.0mm (Lime Green) 64: Jacket zipcord duplex, 2.0mmx2 (Lime Green) 65: Jacket zipcord duplex, 1.8mmx2 (Lime Green) 66: Jacket round duplex, 2.0mm (Lime Green)							
OM3 MM 50/125µm cable 25: 900µm fiber 41: Jacket simplex, 3.0mm (Aqua) 42: Jacket zipcord duplex, 3.0mmx2 (Aqua) 43: Jacket simplex, 2.0mm (Aqua) 44: Jacket zipcord duplex, 2.0mm x 2 (Aqua) 45: Jacket zipcord duplex, 1.8mmx2 (Aqua) 73: Jacket round duplex, 2.0mm (Aqua) 23: Jacket simplex, 3.0mm (Orange) 24: Jacket zipcord duplex, 3.0mmx2 (Orange) 31: Jacket simplex, 2.0mm (Orange) 32: Jacket zipcord duplex, 2.0mm x 2 (Orange) 26: Jacket zipcord duplex, 1.8mmx2 (Orange) 74: Jacket round duplex, 2.0mm (Orange)								

Ordering Example

M1-C8L8-44-0100-GF: SC to LC Patchcord, OM3 50/125um multimode, zipcord duplex, 2.0mm x 2 cable, 10 meter
 *For the patchcord connectors, please kindly follow the alphabetical rule as above examples.

MTP/MPO patchcord and multi-fiber patchcord are available, please contact us.



Go4Fiber Ltd.
 Tel: +852 2174-1338
 Email: sales_group@go4fiber.com

Fax: +852 2904-0034
 Web: www.go4fiber.com

PREMIUM GRADE PATCHCORD / PIGTAIL

Advanced Product:

Easy Clip SC and LC Patchcord and Pigtail:



04

Easy Clip SC and LC Patchcord and Pigtail are user-friendly design. Without any tools, SC and LC connector polarity can be revised on site easily.

Every patchcord and pigtail supplied by Go4Fiber is guaranteed to be well polished and meets or exceeds the TIA/EIA-568-C.3, ISO/IEC 11801, TIA/EIA-604-2A (FOCIS-2), TIA/EIA-604-3 (FOCIS-3) and TIA/EIA-604-10 (FOCIS-10) standard and the GR-326-CORE insertion loss test standard.

Features:



-**On-Site Reverse Polarity** of the SC and LC connector without connector re-termination, without any special tools, the polarity can be reversed on-site easily

-**Advanced design of SC and LC clip** contributes to easy release of SC and LC connector from the adapter compared with the traditional duplex connector



Specifications:

Physical Property

Fiber Type	Singlemode: 9/125um (OS1, OS2, G.652D, G.657A1/A2) Multimode: 62.5/125um (OM1), 50/125um (OM2, OM3, OM4, OM5)
1.8/2.0/3.0mm Cable Jacket	Standard: Low Smoke Zero Halogen (LSZH), Riser Rated (OFNR), Optional: Plenum Rated (OFNP)
Jacket Color	Singlemode: Yellow Multimode: Orange, Aqua, Erika Violet, Lime Green
Fiber Jacket Structure	Simplex, Zipcord Duplex, Round Duplex, Tight buffered
Jacket Outer Diameter	900um(Simplex), 1.8mm (Duplex), 2.0mm (Simplex, Duplex), 3.0mm (Simplex, Duplex)
Connector Type	LC, SC, FC, ST, E2000, LC/APC, SC/APC, FC/APC, E2000/APC, MU
Length Tolerance	<1m: +10cm / -0cm, ≥1m: +10% / -0%

Optical Property

Insertion Loss	Singlemode: 0.15dB (Typical), 0.35dB (Maximum) Multimode: 0.15dB (Typical), 0.35dB (Maximum)
Return Loss	Singlemode: APC: 65dB (Minimum), UPC: 50dB (Minimum) Multimode: N/A

Specification on one connector only.


PREMIUM GRADE PATCHCORD / PIGTAIL

Easy Clip SC and LC Patchcord and Pigtail Ordering Information:



06

Patchcord



<p>Assembly Information</p> <p>S1: Singlemode G.652D S2: Singlemode G. 652D (LSZH) S3: Singlemode G.657A1 S4: Singlemode G.657A1 (LSZH) S6: Singlemode G.657A2 S8: Singlemode G.657A2 (LSZH) M1: Multimode M2: Multimode (LSZH)</p>	<p>End #2 Connector Type</p> <p>00: Pigtail - Same code as End #1 (Patchcord)</p>	<p>Patchcord Length</p> <p>0005: 0.5 meter 0010: 1.0 meter 0015: 1.5 meter 0150: 15.0 meter 9990: 999.0 meter</p>	<p>Assembled With</p> <p>GF: Go4Fiber Connector OT: Others, please specify</p>																										
<p>End #1 Connector Type</p> <table border="0"> <thead> <tr> <th>Singlemode</th> <th>Multimode</th> </tr> </thead> <tbody> <tr><td>F2: FC/UPC</td><td>F8: FC</td></tr> <tr><td>C4: SC/UPC</td><td>C9: SC</td></tr> <tr><td>T2: ST/UPC</td><td>T8: ST</td></tr> <tr><td>L4: LC/UPC</td><td>L9: LC</td></tr> <tr><td>L7: LC/APC</td><td>E8: E2000</td></tr> <tr><td>F6: FC/APC</td><td></td></tr> <tr><td>C7: SC/APC</td><td></td></tr> <tr><td>U2: MU/UPC</td><td></td></tr> <tr><td>U6: MU/APC</td><td></td></tr> <tr><td>E2: E2000/UPC</td><td></td></tr> <tr><td>E6: E2000/APC</td><td></td></tr> </tbody> </table>	Singlemode	Multimode	F2: FC/UPC	F8: FC	C4: SC/UPC	C9: SC	T2: ST/UPC	T8: ST	L4: LC/UPC	L9: LC	L7: LC/APC	E8: E2000	F6: FC/APC		C7: SC/APC		U2: MU/UPC		U6: MU/APC		E2: E2000/UPC		E6: E2000/APC		<p>Cable Type</p> <table border="0"> <tr> <td> <p>Singlemode 9/125µm cable</p> <p>02: Jacket zipcord duplex, 3.0mmx2 16: Jacket zipcord duplex, 2.0mmx2 10: Jacket zipcord duplex, 1.8mmx2</p> <p>OM1 MM 62.5/125µm cable</p> <p>05: Jacket zipcord duplex, 3.0mmx2 19: Jacket zipcord duplex, 2.0mmx2 13: Jacket zipcord duplex, 1.8mmx2</p> <p>OM2 MM 50/125µm cable</p> <p>08: Jacket zipcord duplex, 3.0mmx2 22: Jacket zipcord duplex, 2.0mmx2 14: Jacket zipcord duplex, 1.8mmx2</p> </td> <td> <p>OM3 MM 50/125µm cable</p> <p>42: Jacket zipcord duplex, 3.0mmx2 (Aqua) 44: Jacket zipcord duplex, 2.0mmx2 (Aqua) 45: Jacket zipcord duplex, 1.8mmx2 (Aqua) 24: Jacket zipcord duplex, 3.0mmx2 (Orange) 32: Jacket zipcord duplex, 2.0mmx2 (Orange) 26: Jacket zipcord duplex, 1.8mmx2 (Orange)</p> <p>OM4 MM 50/125µm cable</p> <p>34: Jacket zipcord duplex, 3.0mmx2 (Aqua) 37: Jacket zipcord duplex, 2.0mmx2 (Aqua) 38: Jacket zipcord duplex, 1.8mmx2 (Aqua) 52: Jacket zipcord duplex, 3.0mmx2 (Erika Violet) 54: Jacket zipcord duplex, 2.0mmx2 (Erika Violet) 55: Jacket zipcord duplex, 1.8mmx2 (Erika Violet)</p> <p>OM5 MM 50/125µm cable</p> <p>62: Jacket zipcord duplex, 3.0mmx2 (Lime Green) 64: Jacket zipcord duplex, 2.0mmx2 (Lime Green) 65: Jacket zipcord duplex, 1.8mmx2 (Lime Green)</p> </td> </tr> </table>			<p>Singlemode 9/125µm cable</p> <p>02: Jacket zipcord duplex, 3.0mmx2 16: Jacket zipcord duplex, 2.0mmx2 10: Jacket zipcord duplex, 1.8mmx2</p> <p>OM1 MM 62.5/125µm cable</p> <p>05: Jacket zipcord duplex, 3.0mmx2 19: Jacket zipcord duplex, 2.0mmx2 13: Jacket zipcord duplex, 1.8mmx2</p> <p>OM2 MM 50/125µm cable</p> <p>08: Jacket zipcord duplex, 3.0mmx2 22: Jacket zipcord duplex, 2.0mmx2 14: Jacket zipcord duplex, 1.8mmx2</p>	<p>OM3 MM 50/125µm cable</p> <p>42: Jacket zipcord duplex, 3.0mmx2 (Aqua) 44: Jacket zipcord duplex, 2.0mmx2 (Aqua) 45: Jacket zipcord duplex, 1.8mmx2 (Aqua) 24: Jacket zipcord duplex, 3.0mmx2 (Orange) 32: Jacket zipcord duplex, 2.0mmx2 (Orange) 26: Jacket zipcord duplex, 1.8mmx2 (Orange)</p> <p>OM4 MM 50/125µm cable</p> <p>34: Jacket zipcord duplex, 3.0mmx2 (Aqua) 37: Jacket zipcord duplex, 2.0mmx2 (Aqua) 38: Jacket zipcord duplex, 1.8mmx2 (Aqua) 52: Jacket zipcord duplex, 3.0mmx2 (Erika Violet) 54: Jacket zipcord duplex, 2.0mmx2 (Erika Violet) 55: Jacket zipcord duplex, 1.8mmx2 (Erika Violet)</p> <p>OM5 MM 50/125µm cable</p> <p>62: Jacket zipcord duplex, 3.0mmx2 (Lime Green) 64: Jacket zipcord duplex, 2.0mmx2 (Lime Green) 65: Jacket zipcord duplex, 1.8mmx2 (Lime Green)</p>
Singlemode	Multimode																												
F2: FC/UPC	F8: FC																												
C4: SC/UPC	C9: SC																												
T2: ST/UPC	T8: ST																												
L4: LC/UPC	L9: LC																												
L7: LC/APC	E8: E2000																												
F6: FC/APC																													
C7: SC/APC																													
U2: MU/UPC																													
U6: MU/APC																													
E2: E2000/UPC																													
E6: E2000/APC																													
<p>Singlemode 9/125µm cable</p> <p>02: Jacket zipcord duplex, 3.0mmx2 16: Jacket zipcord duplex, 2.0mmx2 10: Jacket zipcord duplex, 1.8mmx2</p> <p>OM1 MM 62.5/125µm cable</p> <p>05: Jacket zipcord duplex, 3.0mmx2 19: Jacket zipcord duplex, 2.0mmx2 13: Jacket zipcord duplex, 1.8mmx2</p> <p>OM2 MM 50/125µm cable</p> <p>08: Jacket zipcord duplex, 3.0mmx2 22: Jacket zipcord duplex, 2.0mmx2 14: Jacket zipcord duplex, 1.8mmx2</p>	<p>OM3 MM 50/125µm cable</p> <p>42: Jacket zipcord duplex, 3.0mmx2 (Aqua) 44: Jacket zipcord duplex, 2.0mmx2 (Aqua) 45: Jacket zipcord duplex, 1.8mmx2 (Aqua) 24: Jacket zipcord duplex, 3.0mmx2 (Orange) 32: Jacket zipcord duplex, 2.0mmx2 (Orange) 26: Jacket zipcord duplex, 1.8mmx2 (Orange)</p> <p>OM4 MM 50/125µm cable</p> <p>34: Jacket zipcord duplex, 3.0mmx2 (Aqua) 37: Jacket zipcord duplex, 2.0mmx2 (Aqua) 38: Jacket zipcord duplex, 1.8mmx2 (Aqua) 52: Jacket zipcord duplex, 3.0mmx2 (Erika Violet) 54: Jacket zipcord duplex, 2.0mmx2 (Erika Violet) 55: Jacket zipcord duplex, 1.8mmx2 (Erika Violet)</p> <p>OM5 MM 50/125µm cable</p> <p>62: Jacket zipcord duplex, 3.0mmx2 (Lime Green) 64: Jacket zipcord duplex, 2.0mmx2 (Lime Green) 65: Jacket zipcord duplex, 1.8mmx2 (Lime Green)</p>																												

Ordering Example

S1-C4L4-16-0100-GF: Easy Clip SC/UPC to Easy Clip LC/UPC Patchcord, 9/125um singlemode, zipcord duplex, 2.0mm x 2 cable, 10 meter
 M1-C9L9-44-0015-GF: Easy Clip SC to Easy Clip LC Patchcord, OM3 50/125um multimode zipcord duplex, 2.0mm x 2 cable, 1.5 meter
 *For the patchcord connectors, please kindly follow the alphabetical rule as above examples.

MTP/MPO patchcord and multi-fiber patchcord are available, please contact us.



Go4Fiber Ltd.
 Tel: +852 2174-1338
 Email: sales_group@go4fiber.com

Fax: +852 2904-0034
 Web: www.go4fiber.com


PREMIUM GRADE PATCHCORD / PIGTAIL

Advanced Product:


Switchable LC Uniboot Patchcord and Pigtail:

RoHS
Ready

07



Quick Release Handling Bar



2mm Jacket Round Duplex Cable

The revolutionary LC duplex patchcord which provides four primary changes in the cable industry especially for high density applications.

Every patchcord and pigtail supplied by Go4Fiber is guaranteed to be well polished and meets or exceeds the TIA/EIA-568-C.3, ISO/IEC 11801 and TIA/EIA-604-10 (FOCIS-10) standard and the GR-326-CORE insertion loss test standard.

Features:

- Adjustable Pitch** allows the size of the connectors easily changed between Mini-LC 5.25 pitch and the standard LC 6.25 pitch. Suitable for both standard LC and Mini-LC application
- Reverse Polarity** of the connectors easily without connector re-termination
- Quick Release Handling Bar** allows for the quick and easy release of LC connector from the high density adapter panel without any removal tools
- Reduce Size** of duplex patchcords by using duplex round 2.0mm cable compared to the traditional duplex zipcord 2.0mm or 3.0mm cable

Go4Fiber

Go4Fiber Ltd.

Tel: +852 2174-1338

Email: sales_group@go4fiber.com

Fax: +852 2904-0034

Web: www.go4fiber.com



Specifications:

Physical Property

Fiber Type	Singlemode: 9/125um (OS1, OS2, G.652D, G.657A1/A2) Multimode: 62.5/125um (OM1), 50/125um (OM2, OM3, OM4, OM5)
1.8/2.0/3.0mm Cable Jacket	Standard: Low Smoke Zero Halogen (LSZH), Riser Rated (OFNR), Optional: Plenum Rated (OFNP)
Jacket Color	Singlemode: Yellow Multimode: Orange, Aqua, Erika Violet, Lime Green
Fiber Jacket Structure	Round Duplex 2.0mm
Jacket Outer Diameter	2.0mm
Connector Type	LC, LC/APC
Length Tolerance	<1m: +10cm / -0cm, ≥1m: +10% / -0%

Optical Property

Insertion Loss	Singlemode: 0.15dB (Typical), 0.35dB (Maximum) Multimode: 0.15dB (Typical), 0.35dB (Maximum)
Return Loss	Singlemode: APC: 65dB (Minimum), UPC: 50dB (Minimum) Multimode: N/A


Specification on one connector only.

08

Patchcord

PREMIUM GRADE PATCHCORD / PIGTAIL

Ordering Information:



09

Patchcord

Assembly Information	
S1:	Singlemode G.652D
S2:	Singlemode G. 652D (LSZH)
S3:	Singlemode G.657A1
S4:	Singlemode G.657A1 (LSZH)
S6:	Singlemode G.657A2
S8:	Singlemode G.657A2 (LSZH)
M1:	Multimode
M2:	Multimode (LSZH)

End #2 Connector Type	
00:	Pigtail
- Same code as End #1 (Patchcord)	

Patchcord Length	
0005:	0.5 meter
0010:	1.0 meter
0015:	1.5 meter
.....	
0150:	15.0 meter
.....	
9990:	999.0 meter

End #1 Connector Type	
Singlemode	Multimode
L2: LC/UPC	L8: LC
L6: LC/APC	

Cable Type	
Singlemode 9/125µm cable	
16: Jacket round duplex, 2.0mm	OM3 MM 50/125µm cable
	44: Jacket round duplex, 2.0mm (Aqua)
OM1 MM 62.5/125µm cable	
19: Jacket round duplex, 2.0mm	OM4 MM 50/125µm cable
	37: Jacket round duplex, 2.0mm (Aqua)
OM2 MM 50/125µm cable	
22: Jacket round duplex, 2.0mm	OM5 MM 50/125µm cable
	66: Jacket round duplex, 2.0mm (Lime Green)

Ordering Example

S1-L2L2-16-0100-GF: Switchable LC Uniboot Patchcord, LC/UPC to LC/UPC, 9/125um singlemode, round duplex, 2.0mm, 10 meter
 S1-L2L6-16-0100-GF: Switchable LC Uniboot Patchcord, LC/UPC to LC/APC, 9/125um singlemode, round duplex, 2.0mm, 10 meter
 M1-L8L8-44-0100-GF: Switchable LC Uniboot Patchcord, LC to LC, OM3 50/125um multimode round duplex, aqua, 2.0mm, 10 meter
 *For the patchcord connectors, please kindly follow the alphabetical rule as above examples.

MTP/MPO patchcord and multi-fiber patchcord are available, please contact us.



Go4Fiber Ltd.
 Tel: +852 2174-1338
 Email: sales_group@go4fiber.com

Fax: +852 2904-0034
 Web: www.go4fiber.com